

OPTIONS



TRIPLE M HOUSING LTD. MASTER OPTION LIST

Code	Option Description	Price	Park	VTI	14' Md	14'OFF	16' Md	16'OFF	20' Md	Trad	Pem	MODS
00-2700	HIGH SNOWLOADS											
00-2705	TRAD---2/12 FIXED ROOF @ 16" O/C---(\$20/FT)	W/A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-2710	TRAD---4/12 HINGED ROOF ILO 2/12 @ 24" O/C---(\$24/FT)	W/A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-2715	TRAD---4/12 HINGED ROOF ILO 2/12 @ 16" O/C---(\$24/FT)	W/A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-2720	MODULAR---4/12 HINGE ILO 4/12 FIX @ 24" O/C---(\$17/FT)	W/A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	✓
00-2725	MODULAR---4/12 HINGE ILO 4/12 FIX @ 16" O/C---(\$47/FT)	W/A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	✓
00-2735	MODULAR---5/12 HINGE ILO 4/12 FIX @ 24" O/C---(\$25/FT)	W/A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	✓
00-2740	MODULAR---5/12 HINGE ILO 4/12 FIX @ 16" O/C---(\$57/FT)	W/A	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	✓
00-2750	SNOWLOAD CHART---(1)---2X6 TOP CHORD---ALL MODELS	125	✓	n/a	✓	✓	✓	✓	✓	✓	✓	✓
00-2755	SNOWLOAD CHART---(2)---EXTRA STUDS/HEADERS-ALL MODELS	345	✓	n/a	✓	✓	✓	✓	✓	✓	✓	✓
00-2760	SNOWLOAD CHART---(3)---FLOOR JOIST UPGRADE---(\$11/FT)	W/A	✓	n/a	✓	✓	✓	✓	✓	✓	✓	✓
00-2770	SINGLEWIDE-----14/16/20 AT 16" O/C-----(\$20/FT)	W/A	n/a	n/a	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-2775	14 WIDES WITH H.S. TRUSSES @ 24" O/C	295	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-2780	16 WIDES WITH H.S. TRUSSES @ 24" O/C	395	n/a	n/a	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-2785	16 WIDES---4/12 PITCH ILO 5/12 PITCH	N/C	n/a	n/a	n/a	n/a	✓	n/a	n/a	n/a	n/a	n/a
00-3290	ALASKAN PACKAGE - MOD - S.C.M. - TO 1500 SFT	4225	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3295	ALASKAN PACKAGE - MOD - S.C.M. - 1501-1700 SFT	4375	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3299	ALASKAN PACKAGE - MOD - S.C.M. - OVER 1700 SFT	4550	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3370	...INSULATION: R40 ROOF/R20 WALLS/R40 FLOOR	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3372	...PASSAGE DOOR WITH METAL AT FURNACE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓

TRIPLE M HOUSING LTD. MASTER OPTION LIST

Code	Option Description	Price	Park	VTI	14' Md	14' OFF	16' Md	16' OFF	20' Md	Trad	Pem	MODS
00-3374	...LOW E WINDOWS T/O (OPT'L'S MUST BE UPGRADED)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3376	...54 X 42 WINDOWS IN ALL BEDROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3378	...RANGE HOOD VENTED TO EXTERIOR WALL - GALV PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3379	...R.HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3380	...DRYER VENTED WITH GALVANIZED PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3382	...ARMOR GUARD - ROOF PERIMETER (15 LB FELT ON BAL)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3384	...SHUT OFF VALVES T/O HOME - EXTRA FROST FREE TAP	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3386	...3/4" X 3/4" CHECK VALVE AT INLET/OUTLET AT H.W.T.	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3388	...LINED (INSULATED) TOILETS IN BATHROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3390	...R4 PIPE INSULATION AT HOT WATER TANK OUTLET (4')	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3392	...UPGRADE ELECTRICAL PER SPECS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3393	...ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3394	...PASSIVE VENTILATION DETAIL	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3400	ALASKAN PACKAGE - BUILDER - TO 1500 SFT	3750	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3403	ALASKAN PACKAGE - BUILDER - 1501-1700 SFT	3850	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3404	ALASKAN PACKAGE - BUILDER - OVER 1700 SFT	4000	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3480	...RANGE HOOD VENTED TO EXTERIOR WALL - GALV PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3481	...R.HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3482	...DRYER VENTED WITH GALVANIZED PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3484	...ARMOR GUARD - ROOF PERIMETER (15 LB FELT ON BAL)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3486	...SHUT OFF VALVES T/O HOME - EXTRA FROST FREE TAP	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3490	...LINED (INSULATED) TOILETS IN BATHROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3494	...UPGRADE ELECTRICAL PER SPECS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3497	...ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-3498	...PASSIVE VENTILATION DETAIL	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓

TRIPLE M HOUSING LTD. MASTER OPTION LIST

Code	Option Description	Price	Park	VTI	14' Md	14'OFF	16' Md	16'OFF	20' Md	Trad	Pem	MODS
00-3500	ALASKAN PACKAGE - TRADITION - TO 1400 SFT	5000	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3503	ALASKAN PACKAGE - TRADITION - 1401-1700 SFT	5300	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3506	ALASKAN PACKAGE - TRADITION - OVER 1700 SFT	5600	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3570	...A277 CODE (R46 ROOF/R20 WALLS/R28 FLOOR)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3572	...PASSAGE DOOR WITH METAL AT FURNACE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3574	...36" EXTERIOR DOORS AT FRONT AND REAR	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3576	...LOW E WINDOWS T/O - (OPT'L'S MUST BE UPGRADED)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3578	...54 X 42 WINDOWS IN ALL BEDROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3580	...RANGE HOOD VENTED THRU EXTERIOR WALL - GALV PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3581	...R HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3582	...DRYER VENTED WITH GALVANIZED PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3584	...ARMOR GUARD - PERIMETER OF ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3586	...SHUT OFF VALVES T/O HOME - EXTRA FROST FREE TAP	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3588	...3/4" X 3/4" CHECK VALVE AT INLET/OUTLET AT H.W.T	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3590	...LINED (INSULATED) TOILETS IN BATHROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3592	...R4 PIPE INSULATION AT HOT WATER TANK OUTLET (4")	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3594	...UPGRADE ELECTRICAL PER SPECS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3596	...ELECTRONIC IGNITION ON FURNACE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3597	...ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3598	...PASSIVE VENTILATION DETAIL	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a	n/a
00-3600	ALASKAN PACKAGE - 14 WIDE SINGLES/OFFSETS	3110	n/a	☒	☒	☒	n/a	n/a	n/a	n/a	n/a	n/a
00-3620	...INSULATION: R40 ROOF/R20 WALLS/R28 FLOOR	INCL	n/a	☒	☒	☒	n/a	n/a	n/a	n/a	n/a	n/a
00-3624	...PASSAGE DOOR WITH METAL AT FURNACE	INCL	n/a	☒	☒	☒	n/a	n/a	n/a	n/a	n/a	n/a
00-3626	...36" EXTERIOR DOORS AT FRONT AND REAR	INCL	n/a	☒	☒	☒	n/a	n/a	n/a	n/a	n/a	n/a

TRIPLE M HOUSING LTD. MASTER OPTION LIST

Code	Option Description	Price	Park	VTI	14' Md	14' OFF	16' Md	16' OFF	20' Md	Trad	Pem	MODS
00-3628	...LOW E WINDOWS T/O - (OPTLS MUST BE UPGRADED)	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3630	...54 X 42 WINDOWS IN ALL BEDROOMS	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3634	...DRYER VENTED WITH GALVANIZED PIPE	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3635	...R.HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3636	...ARMOR GUARD - PERIMETER OF ROOF	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3638	...SHUTOFF VALVES T/O HOME - EXTRA FROST FREE TAP	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3640	...3/4" X 3/4" CHECK VALVE AT INLET/OUTLET AT H.W.T.	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3642	...LINED (INSULATED) TOILETS IN BATHROOMS	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3644	...R4 PIPE INSULATION AT HOT WATER TANK OUTLET (4")	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3646	...UPGRADE ELECTRICAL PER SPECS	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3648	...ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3650	...PASSIVE VENTILATION DETAIL	INCL	n/a	✓	✓	✓	n/a	n/a	n/a	n/a	n/a	n/a
00-3700	ALASKAN PACKAGE - 16 WIDE SINGLES/OFFSETS	3200	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3720	...INSULATION: R40 ROOF/R20 WALLS/R28 FLOOR	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3724	...PASSAGE DOOR WITH METAL AT FURNACE	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3725	...ADDITIONAL 36" EXTERIOR DOOR (2 IN HOME) - 1580-02	485	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a	n/a	n/a
00-3726	...36" EXTERIOR DOORS AT FRONT AND REAR	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3728	...LOW E WINDOWS T/O - (OPTLS MUST BE UPGRADED)	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3730	...54 X 42 WINDOWS IN ALL BEDROOMS	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3732	...RANGE HOOD VENTED TO EXTERIOR WALL - GALV PIPE	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3733	...R.HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3734	...DRYER VENTED WITH GALVANIZED PIPE	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3736	...ARMOR GUARD - PERIMETER OF ROOF	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3738	...SHUT OFF VALVES T/O HOME - EXTRA FROST FREE TAP	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a
00-3740	...3/4" X 3/4" CHECK VALVE AT INLET/OUTLET AT H.W.T.	INCL	n/a	✓	n/a	n/a	✓	✓	n/a	n/a	n/a	n/a

TRIPLE M HOUSING LTD. MASTER OPTION LIST

Code	Option Description	Price	Park	VTI	14' Md	14' OFF	16' Md	16' OFF	20' Md	Trad	Pem	MODS
00-3742	...LINED (INSULATED) TOILETS AT BATHROOMS	INCL	n/a	☒	n/a	n/a	☒	☒	n/a	n/a	n/a	n/a
00-3744	...R4 PIPE INSULATION AT HOT WATER TANK OUTLET (4')	INCL	n/a	☒	n/a	n/a	☒	☒	n/a	n/a	n/a	n/a
00-3746	...UPGRADE ELECTRICAL PER SPECS	INCL	n/a	☒	n/a	n/a	☒	☒	n/a	n/a	n/a	n/a
00-3748	...ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	☒	n/a	n/a	☒	☒	n/a	n/a	n/a	n/a
00-3750	...PASSIVE VENTILATION DETAIL	INCL	n/a	☒	n/a	n/a	☒	☒	n/a	n/a	n/a	n/a
00-3800	ALASKAN PACKAGE - PEMBROKE C. ESTATE - TO 1300 SFT	4050	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3802	ALASKAN PACKAGE - PEMBROKE - C. ESTATE - OVER 1300 SFT	4150	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3810	...INSULATION: R46 ROOF/R20 WALLS/R40 FLOOR	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3812	...PASSAGE DOOR WITH METAL AT FURNACE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3814	...LOW E WINDOWS T/O (OPT'L'S MUST BE UPGRADED)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3816	...54 X 42 WINDOWS IN ALL BEDROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3818	...RANGE HOOD VENTED TO EXTERIOR WALL - GALV PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3819	...R HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3820	...DRYER VENTED WITH GALVANIZED PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3822	...ARMOR GUARD - ROOF PERIMETER (15 LB FELT ON BAL)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3824	...SHUT OFF VALVES T/O HOME - EXTRA FROST FREE TAP	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3826	...3/4" X 3/4" CHECK VALVE AT INLET/OUTLET AT H.W.T.	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3828	...LINED (INSULATED) TOILETS IN BATHROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3830	...R4 PIPE INSULATION AT HOT WATER TANK OUTLET (4')	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3832	...UPGRADE ELECTRICAL PER SPECS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3834	...PASSIVE VENTILATION DETAIL	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3836	...ELECTRONIC IGNITION ON FURNACE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3838	...ADDITIONAL 36" EXTERIOR DOOR (2 IN HOME)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3840	...ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a

TRIPLE M HOUSING LTD. MASTER OPTION LIST

Code	Option Description	Price	Park	VTI	14' Md	14'OFF	16' Md	16'OFF	20' Md	Trad	Pem	MODS
00-3850	ALASKAN PACKAGE - PEMBROKE - BUILDER - TO 1300 SFT	4050	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3852	ALASKAN PACKAGE - PEMBROKE - BUILDER - OVER 1300 SFT	4150	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3850	...INSULATION: R46 ROOF/R20 WALLS/NO FLR INSULATION	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3852	...LOW E WINDOWS T/O - (OPT'L S MUST BE UPGRADED)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3854	...54 X 42 WINDOWS IN ALL BEDROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3856	...RANGE HOOD VENTED TO EXTERIOR WALL - GALV PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3867	...R HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3868	...DRYER VENTED WITH GALVANIZED PIPE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3870	...ARMOR GUARD - ROOF PERIMETER (15 LB FELT ON BAL)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3872	...SHUT OFF VALVES T/O HOME - EXTRA FROST FREE TAP	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3874	...LINED (INSULATED) TOILETS IN BATHROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3876	...UPGRADE ELECTRICAL PER SPECS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3878	...PASSIVE VENTILATION DETAIL	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3880	...ELECTRONIC IGNITION ON FURNACE	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3882	...ADDITIONAL 36" EXTERIOR DOOR (2 IN HOME)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-3884	...ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒	n/a
00-4000	MONO TRUSS SYSTEM FOR CUSTOMER ADDITION	675	n/a	n/a	n/a	☒	n/a	☒	n/a	n/a	☒	☒
00-4002	MONO TRUSS SYSTEM - FRONT AND REAR	1350	n/a	n/a	n/a	☒	n/a	☒	n/a	n/a	☒	☒
	MONTANA PACKAGES											
00-5401	MONTANA PACKAGE - ALL MODULAR 2 PC PRODUCT	3450	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒
00-5480	...54 X 42 WINDOWS IN BEDROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒
00-5485	...ARMOR GUARD - PERIMETER OF ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒
00-5487	...15 LB FELT - BALANCE OF ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒
00-5489	...R HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒
00-5490	...UPG. PLUMB/ELECT TO MONTANA STD.(2-ft taps/2-gfi)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	☒

TRIPLE M HOUSING LTD. MASTER OPTION LIST

Code	Option Description	Price	Park	VTI	14' Md	14'OFF	16' Md	16'OFF	20' Md	Trad	Pem	MODS
00-5492	...ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-5495	... MONTANA INSPECTION AND PLAN APPROVAL (1 & 2 PC)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓
00-5500	MONTANA PACKAGE - ALL TRADITION 2 PC PRODUCT	3500	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-5680	54 X 42 WINDOWS IN BEDROOMS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-5683	ARMOR GUARD - PERIMETER OF ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-5686	15 LB FELT - BALANCE OF ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-5688	R.HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-5689	UPG. PLUMB/ELECT TO MONTANA STD (2-ft taps/2-gfi)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-5690	ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-5692	MONTANA INSPECTION AND PLAN APPROVAL (1 & 2 PC)	INCL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	✓	n/a	n/a
00-6000	MONTANA PACKAGE (ALL SINGLEWIDE / ALL OFFSETS)	3600	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6005	36" EXTERIOR DOOR FRONT AND REAR	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6006	36" EXTERIOR DOOR (EXTRA) - 1580-02 & 20 WIDES	485	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6010	54 X 42 WINDOWS IN BEDROOMS	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6015	RANGEHOOD VENTED OUT WITH GALVANIZED PIPE	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6020	DRYER VENTED WITH GALV. PIPE	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6025	ARMOR GUARD - PERIMETER OF ROOF	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6030	SHUT OFF VALVES THROUGHOUT (2 - 3/4" F.F. TAPS)	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6035	DELETE DOOR TO UTILITY/FURNACE AREA AS APPLICABLE	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6039	R.HOODS NOT ADJACENT TO EXT WALL-VENT THRU ROOF	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6040	UPG. PLUMB/ELECT TO MONTANA STD.(2-ft taps/2-gfi)	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6042	ARC FAULT CIRCUIT INTERRUPTER BREAKERS	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a
00-6045	MONTANA INSPECTION AND PLAN APPROVAL	INCL	n/a	✓	✓	✓	✓	✓	✓	n/a	n/a	n/a

Option	Description	Price
00-6100	JUNEAU PACKAGE ADDITIONS (IN ADDITION TO ALASKAN PKGE)	550
00-6110	---ADD 50 CFM FAN WITH SWITCH IN LAUNDRY ROOM	INCL
00-6113	---GALVANIZED STRAPS ON EACH TRUSS TO WALL PLATE	INCL
00-6116	---ALL VENT STACKS MUST EXTEND 12" ABOVE ROOF (MIN 2")	INCL
00-6119	---BACK FLOW PREVENTION DEVICES REQUIRED ON ALL.....	
00-6120	HOSEBIDS & DISHWASHERS & TOILET BALLCOCKS	INCL
00-6122	---HOT WATER LINES MUST HAVE A MINIMUM OF 1/4"	INCL
00-6123	CLEARANCE AROUND THEM TO COMBUSTABLE MATERIAL	
00-6125	---ALL BATH, KITCHEN, LAUNDRY EXH. VENTING MUST BE	INCL
00-6126	MADE OF SMOOTH METAL PIPE SIZED FOR FANS	
00-6128	---COMBUSTION OPENINGS MUST BE 1 SQ. IN. PER 5000 BTU	INCL
00-6129	HWT REQUIRES 4" OR MORE PENDING SIZE OF GAS	
00-6130	OR OIL FIRED APPLIANCE.	
00-6131	---MINIMUM #10 AWG COPPER WIRE IS REQUIRED FOR	INCL
00-6132	ANY ELECTRIC WATER HEATER	
00-6135	---2" RIGID STEEL CONDUIT MASTS FOR AERIAL SERVICES	INCL
00-6138	---ROOF SHEATHING SHALL BE 15/32"	below
00-6139	INCLUDED IN HINGED ROOF OPTION	STD
00-6140	FIXED ROOF (.25 / SFT FLOOR)	W/A
00-6143	---DEALER TO PROVIDE WRITTEN LETTER REGARDING.....	----
00-6144	ACCEPTABILITY OF SHINGLES MEETING WIND SPEED	----
00-6145	REQUIREMENTS	----

Option	Description	Price
00-6502	32' SHOWER STALL	INCL
00-6503	2-30X60 MASTER BEDROOM WINDOWS	INCL
00-6504	ISLAND IN KITCHEN (WHERE APPLICABLE)	INCL
00-6505	BUFFET AND HUTCH	INCL
00-6506	SINGLE PALADINE WINDOW IN THE LIVING ROOM	INCL
00-6507	SIDE LIGHT DOOR AT FRONT ENTRANCE	INCL
00-6508	PILLAR PACKAGE	INCL
00-6509	BW OR DV HIP DORMER OVER BED #2 WINDOW (HITCH)	INCL
00-6510	BW OR DV DORMER OVER LIVING ROOM WINDOW	INCL
00-6999		
00-7000	PARK MODELS & COTTAGES	
00-7001		
00-7003	PARK MODELS (Z-240): DESTINATION B.C.	INCL
00-7004		
00-7005	PARK MODELS (Z-240): DESTINATION (ALTA PARKS ONLY)	INCL
00-7006		
00-7008	COTTAGES (A-277): DESTINATION ALBERTA	1595
00-7020	...2 X 6 ILO 2 X 4 EXTERIOR WALLS WITH R20 INSULATION	INCL
00-7023	...UPGRADE ELECTRICAL TO 60 AMP PANEL BOX	INCL
00-7026	...NO POWER CORD---HARDWIRE OUTSIDE	INCL
00-7029	...SPLIT RECEPTACLES IN KITCHEN	INCL
00-7031	...R33 INSULATION IN THE CEILINGS	INCL
00-7035	...PLUMBING 3" AND 2" VENT STACKS REQUIRED	INCL
00-7039	...UPGRADE TO 2 X 8 FLOOR JOISTS AND R28 INSULATION	INCL
00-7043	...VAPOR BARRIERS ON EXTERIOR WALLS	INCL
00-7048	...IMPORTANT: LOFT NOT AVAILABLE	N/A
00-7053		
00-7058	COTTAGES (A-277): DESTINATION MONTANA	2000
00-7063	...2 X 6 ILO 2 X 4 EXTERIOR WALLS	INCL
00-7066	...UPGRADE ELECTRICAL TO 60 AMP PANEL BOX	INCL
00-7069	...NO POWER CORD---HARDWIRE OUTSIDE	INCL
00-7073	...SPLIT RECEPTACLES IN KITCHEN	INCL
00-7076	...20 AMP RECEPTACLES	INCL
00-7079	...PLUMBING 3" AND 2" VENT STACKS REQUIRED	INCL
00-7082	...UPGRADE TO 2 X 8 FLOOR JOISTS	INCL
00-7086	...VAPOR BARRIERS ON EXTERIOR WALLS	INCL
00-7089	...PLAN APPROVAL	INCL
00-7092	...IMPORTANT: LOFT NOT AVAILABLE	INCL
00-7095		
00-7096	DELETE AXLES: MODELS TO 32'	-900
00-7098	DELETE AXLES: MODELS OVER 32'	-1350
00-9990		

TRIPLE M HOUSING STD. & UPGRADE SNOW LOADS

PARK MODELS

		24" O/C
12-WIDE	5.5/12 PITCH	90.0

VTI

		24" O/C	24" O/C-H.S.
14-WIDE (VTI)	3/12 PITCH	90.0 (4)	157.5 (1)(2)(3)
16-WIDE (VTI)	4/12 PITCH	42.0	66.8 (3)

SINGLEWIDES

		24" O/C	24" O/C-H.S.		24" O/C	16" O/C
14-WIDE	4/12 PITCH	90.0 (4)	157.5 (1)(2)(3)	3/12 PITCH	90.0 (4)	160.0 (1)(2)(3)
16-WIDE	5/12 PITCH	46.5	66.8	4/12 PITCH	53.0	81.5

		24" O/C	16" O/C
20-WIDE	4/12 PITCH	63.2	90.0

OFFSETS

		24" O/C	16" O/C		24" O/C	16" O/C
14-WIDE	3.25/12 PITCH	90.0 (4)	152.5 (2)(3)	2.75/12 PITCH	86.5 (4)	131.5 (2)(3)
16-WIDE	4/12 PITCH	66.5	90.0			

DOUBLEWIDES

		24" O/C	16" O/C		24" O/C	16" O/C
24-WIDE	2.0/12 PITCH	90.0	160.0 (2)(3)	4/12 (26" HINGE)	90.0	139.0 (2)(3)
26-WIDE	2.0/12 PITCH	90.0	148.0 (2)(3)	4/12 (26" HINGE)	90.0	139.0 (2)(3)
28-WIDE	2.0/12 PITCH	90.0 (4)	148.0 (2)(3)	4/12 (26" HINGE)	90.0 (4)	139.0 (2)(3)
30-WIDE	2.5/12 PITCH	71.5	90.0 (3)	4/12 (42" HINGE)	71.5	90.0 (3)

ADDITIONAL INFORMATION:

- (1) REQUIRES DOUBLE 2X6 TOP CHORD (ILO 2X4) SIDEWALLS
- (2) REQUIRES EXTRA STUDS/HEADERS SIDEWALLS
- (3) REQUIRES FLOOR JOIST UPGRADE
- (4) ENDS OF JOISTS MAY NEED SUPPORT FOR SNOW LOADS OVER 77.8 PSF
(SEE BLOCKING DIAGRAM)

** ALL LOADS LISTED ARE GROUND SNOW LOAD WITH AN ASSUMED RAIN LOAD OF 2.1 PSF

** WHEN COMPUTING SPECIFIC OPTION COSTS REMEMBER TO USE THE LONGEST SIDE OF THE HOME IN YOUR CALCULATION

** OPTION PRICES INCLUDE EXTRA TRUSSES ONLY, UPGRADES TO SIDEWALLS AND FLOOR JOISTS MUST BE NOTED SEPARATELY ON THE ORDER FORM

** FOR HIGH SNOW LOAD HINGED ROOFS (IF STD. FIXED), THE HINGED ROOF OPTION AND THE HIGH SNOW LOAD OPTION MUST BE NOTED ON THE ORDER FORM

**SEE SECTION 00-2700 OF YOUR DEALER MANUAL FOR
CURRENT OPTION PRICING**

TRIPLE M HOUSING STD. & UPGRADE SNOW LOADS

MODULARS

		24" O/C	16" O/C			
24-WIDE	4/12 (FIXED)	71.5	109.5 (2)			
26-WIDE	4/12 (FIXED)	71.5	109.5 (2)			
28-WIDE	4/12 (FIXED)	71.5	109.5 (2)			
30-WIDE	4/12 (FIXED)	71.5	109.5 (2)			
				24" O/C	16" O/C	
24-WIDE	4/12 (42" HINGE)	71.5	109.5 (2)	6/12 (42" HINGE)	71.5	109.5 (2)
26-WIDE	4/12 (42" HINGE)	71.5	109.5 (2)	6/12 (42" HINGE)	71.5	109.5 (2)
28-WIDE	4/12 (42" HINGE)	71.5	109.5 (2)	6/12 (42" HINGE)	71.5	109.5 (2)
30-WIDE	4/12 (42" HINGE)	71.5	109.5 (2)	6/12 (42" HINGE)	71.5	109.5 (2)
24-WIDE	4/12 (26" HINGE)	90.0	139.0 (2)	6/12 (26" HINGE)	90.0	139.0 (2)
26-WIDE	4/12 (26" HINGE)	90.0	139.0 (2)	6/12 (26" HINGE)	90.0	139.0 (2)
28-WIDE	4/12 (26" HINGE)	90.0	139.0 (2)	6/12 (26" HINGE)	90.0	139.0 (2)

CAPE CODS

		24" O/C
28-WIDE	12/12 PITCH	90.0

ADDITIONAL INFORMATION:

(2) REQUIRES EXTRA STUDS/HEADERS SIDEWALLS

** ALL LOADS LISTED ARE GROUND SNOW LOAD WITH AN ASSUMED RAIN LOAD OF 2.1 PSF

** WHEN COMPUTING SPECIFIC OPTION COSTS REMEMBER TO USE THE LONGEST SIDE OF THE HOME IN YOUR CALCULATION


** OPTION PRICES INCLUDE EXTRA TRUSSES ONLY, UPGRADES TO SIDEWALLS AND FLOOR JOISTS MUST BE NOTED SEPARATELY ON THE ORDER FORM

** FOR HIGH SNOW LOAD HINGED ROOFS (IF STD. FIXED), THE HINGED ROOF OPTION AND THE HIGH SNOW LOAD OPTION MUST BE NOTED ON THE ORDER FORM

**SEE SECTION 00-2700 OF YOUR DEALER MANUAL FOR
CURRENT OPTION PRICING**

TRIPLE M HOUSING MODULE HEIGHTS AND WIDTHS

(FOR MODULAR HOMES ONLY)



	UNIT WIDTH	A	B	C	D
4/12 STD FIXED ROOF	26' WIDE	14'-6"	13'-3"	14'-6"	16'-0"
	28' WIDE	14'-6"	14'-3"	15'-6"	17'-0"
	30' WIDE	14'-6"	15'-3"	16'-6"	18'-0"
4/12 ROOF W/OPT 26"HINGE (TRANSPORT THROUGH B.C. ONLY)	26' WIDE	11'-9"	13'-3"	14'-6" (2,3,5)	14'-6" (2,3,4,5)
	28' WIDE	11'-9"	14'-3"	14'-6" (1,2,3,5)	14'-6" (1,2,3,4,5)
4/12 ROOF W/OPT 42" HINGE	26' WIDE	13'-3"	13'-3"	15'-0" (6,7)	16'-0" (6,7)
	28' WIDE	13'-3"	14'-3"	16'-0" (6,7)	17'-0" (6,7)
	30' WIDE	13'-3"	15'-3"	17'-0" (6,7)	18'-0" (6,7)
6/12 ROOF W/OPT 26"HINGE (TRANSPORT THROUGH B.C. ONLY)	26' WIDE	11'-9"	13'-3"	14'-6" (2,3,5)	14'-6" (2,3,4,5)
	28' WIDE	11'-9"	14'-3"	14'-6" (1,2,3,5)	14'-6" (1,2,3,4,5)
6/12 ROOF W/OPT 42" HINGE	26' WIDE	13'-3"	13'-3"	15'-6" (6,7)	16'-0" (6,7)
	28' WIDE	13'-3"	14'-3"	16'-8" (6,7)	17'-0" (6,7)
	30' WIDE	13'-3"	15'-3"	17'-10" (6,7)	18'-0" (6,7)


ADDITIONAL INFORMATION:

- (1) INDICATES 4" FIXED EAVE STANDARD
- (2) INDICATES HINGED RAFTERS CUT FLUSH TO THE MATING WALL
- (3) INDICATES PONY WALLS WILL BE SHIPPED INSIDE THE HOME
- (4) INDICATES HINGED EAVE REQUIRED FOR OFFSET PORTIONS OF THE HOME
- (5) INDICATES ALL STRUCTURAL BEAM IN THE CEILING WILL BE DROPPED INTO THE INTERIOR OF THE HOME
- (6) INDICATES 18" STRUCTURAL BEAM IN THE CEILING WILL BE PARTIALLY DROPPED INTO THE INTERIOR OF THE HOME
- (7) FOR REDUCED TRANSPORT DIMENSION, HOUSES CAN BE ORDERED WITH: PONY WALLS SHIPPED INSIDE THE HOME, OPTIONAL HINGED RAFTERS CUT FLUSH TO THE MATING WALL AND OPTIONAL HINGED EAVES—THESE ITEMS MUST BE NOTED ON THE HARD CARD

** MEASUREMENTS DO NOT INCLUDE ALLOWANCE FOR TRANSPORT TRAILERS, MEASUREMENT 'A' INDICATES OVERALL HEIGHT, MEASUREMENT 'B' INDICATES UNIT WIDTH INCLUDING EXTERIOR FINISH, MEASUREMENT 'C' INDICATES OVERALL WIDTH WITH STD 16" FIXED EAVES (UNLESS OTHERWISE INDICATED), MEASUREMENT 'D' INDICATES OVERALL WIDTH FOR OFFSET ENDS


TRIPLE M HOUSING MODULE HEIGHTS AND WIDTHS

(FOR TRIPLE WIDE MODULAR HOMES ONLY)



	UNIT WIDTH	A	B	C	D	E	G	H
2.5/12 STD FIXED ROOF (NOT AVAILABLE FOR TRANSPORT THROUGH B.C.)	39' WIDE	12'-9"	13'-3"	14'-6"	16'-0"	14'2"	14'-6"	16'-0"


** MEASUREMENTS DO NOT INCLUDE ALLOWANCE FOR TRANSPORT TRAILERS, MEASUREMENT 'A' INDICATES OVERALL HEIGHT OF THE OUTER MODULES, MEASUREMENT 'B' INDICATES UNIT WIDTH INCLUDING EXTERIOR FINISH, MEASUREMENT 'C' INDICATES OVERALL WIDTH WITH STD 16" FIXED EAVES (UNLESS OTHERWISE INDICATED), MEASUREMENT 'D' INDICATES OVERALL WIDTH FOR OFFSET ENDS, MEASUREMENT 'E' INDICATES OVERALL HEIGHT FOR THE CENTER MODULE, MEASUREMENT 'F' INDICATES OVERALL WIDTH OF A CENTER MODULE OFFSET END WITH STD 16" FIXED EAVE ONE SIDE, MEASUREMENT 'G' INDICATES OVERALL WIDTH OF A CENTER MODULE OFFSET END WITH STD 16" FIXED EAVES ON BOTH SIDES



PONYWALL INSTALLATION DETAIL


INSTALL 2X4 COLLAR TIE ON SITE
(SUPPLIED BY TRIPLE M)
SCREW COLLAR TIE IN PLACE USING
3-2 3/4" WOOD SCREWS EACH END
OF COLLAR TIE-ON EACH TRUSS

SITE-INSTALLED
RIDGE CAP



PEAK CONNECTION DETAIL

SITE-INSTALLED
RIDGE CAP



PONYWALL DETAIL

NOTE: FOR 6/12-42" HINGED ROOF TRUSS-19'-8" BOX WIDTH ONLY

		PONYWALL & PEAK CONNECTION DETAIL	
www.triplemt.com 11114 11114		DATE: 2008-10-28 DESIGNED BY: JLB DRAWN BY: JLB	
11114		PROJECT: TM-SETUP-G4 C4b	
Triple M Housing Ltd.			